



HIRE PRICE LIST OCTOBER 2008

Riversdene
Howley Lane
Warrington
Cheshire
WA1 2DJ

Tel / Fax:
01925 656469

E-mail: info@actssoundandlighting

Web: www.actssoundandlighting.co.uk

Sound:-

1/ Loudspeakers (*Systems & Accessories*)

2/ Amplification (*Amplifiers, controllers & complete racks*)

3/ Mixing Desks

4/ Outboard Equipment (*Graphics, Compressors, Gates & FX units*)

5/ Recording/Playback (*MD, CD & Cassette*)

6/ Microphones (*Radio systems, Mics. & DI's, Stands & accessories*)

7/ Audio Cabling (*Cables & adapters, multi-core systems*)

8/ Communications (*Talkback, Radios & headphones*)

Loudspeaker Systems

| | | £ day | £ week |
|----------------|--------------------------------------------------------|-------|--------|
| D&B Q7 | Passive 2-way, HF 75° x 40° | 20.00 | 60.00 |
| D&B Q SUB | Bass reflex sub | 20.00 | 60.00 |
| D&B E3 | Small full range speaker, HF 60° x 90° | 12.00 | 36.00 |
| NEXO PS10 | Passive 2-way, 1 x 10" + HF 50/100° x 55° asymmetric | 12.00 | 36.00 |
| NEXO LS500 SUB | Sub bass speaker | 12.00 | 36.00 |
| PEAVEY HP400 | 600 watts bi-amp/full range, 2 x 15" & 2" horn | 12.00 | 36.00 |
| PEAVEY SP2 | 300 watts bi-amp/full range, 1 x 15" & 2" horn | 8.00 | 24.00 |
| PEAVEY EN118 | 300 watts sub bass speaker, 1 x 18" | 6.00 | 18.00 |
| JBL CONTROL 1 | Mini speaker 4" woofer, 0.5" HF | 3.00 | 6.00 |
| BOSE 802 | 240 watt speaker | 10.00 | 30.00 |
| WHARFDALE F5 | 100 watts speaker, 1 x 8" & 1" horn | 8.00 | 24.00 |
| STANDARD 12" | 200 watts speaker, 1 x 12" & bullet tweeter | 4.00 | 12.00 |
| HORN | Horn speaker, 100V line or low impedance, splash proof | 3.00 | 9.00 |

Monitors

| | | | |
|-------------|------------------------------------------------|-------|-------|
| D&B MAX12 | Passive 2 way, 1 x 12" & 2" horn (80° conical) | 12.00 | 36.00 |
| YAMAHA SM15 | 250 watt monitor speaker & 2" horn | 8.00 | 24.00 |
| WEDGE 300 | 300 watt monitor, 1 x 15" & bullet horn | 5.00 | 15.00 |
| WEDGE 200 | 200 watts monitor, 1 x 12" & bullet horn | 4.00 | 12.00 |

Speaker Accessories

| | | | |
|-----------------|----------------------------------------------------------|------|------|
| SPEAKER RIGGING | Rigging set/frame for Q7/ PS10/ E3/ 802... (per speaker) | 2.00 | 6.00 |
| SPEAKER STAND | Complete with top hats if required | 1.00 | 3.00 |

Amplification

| | | £ day | £ week |
|----------------|------------------------------------------------------------|-------|--------|
| D&B D12 | Digitally processed 2 channel amplifier/controller | 26.00 | 78.00 |
| D&B E-PAC | Digitally processed 1 channel amplifier/controller | 12.00 | 36.00 |
| CAUDIO RA30001 | 625 watts/channel into 4 ohms | 15.00 | 45.00 |
| UKP1300 MATRIX | 650 watts/channel into 4 ohms | 9.00 | 36.00 |
| DNA 600 AUDIO | 300 watts/channel into 4 ohms | 7.00 | 21.00 |
| DNA 400 AUDIO | 200 watts/channel into 4 ohms | 6.00 | 18.00 |
| DNA 200 AUDIO | 100 watts/channel into 4 ohms | 5.00 | 15.00 |
| MC GREGOR V3 | 3 channel 100 watts mixer amp. | 6.00 | 18.00 |
| LOW VOLTAGE | 60-100watt amplifiers 12V DC supply option | 6.00 | 18.00 |
| NEXO CONT | Stereo system controller for 2 way PS10/Sub operation | 6.00 | 18.00 |
| PEAVEY CONT | Mono system controller for 2/3 way operation HP400's/SP2's | 6.00 | 18.00 |
| BOSE CONT | Stereo system controller for full range/Bi-amp operation | 6.00 | 18.00 |

NEXO SYSTEM RACK

| | | | |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| NEXO RACK | 2.5kW 2 way stereo FOH PA rack comprising:- 2 x CAudio RA3001 amplifiers 1 x TD10 Nexo system controller 1 x In/out panel & mains distribution (Powercon) | 36.00 | 108.00 |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|

PEAVEY SYSTEM RACK

| | | | |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|
| PEAVEY RACK | 2.6kW 3 way FOH PA rack comprising:- 2 x UKP1300 amplifiers 1 x Peavey system controller 1 x In/out panel & mains distribution (16A) | 24.00 | 72.00 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|

MONITOR RACK

| | | | |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|
| MONITOR RACK | 4 channel x 300W monitor rack comprising:- 2 x DNA600 amplifiers 2 x DOD 31 band 2 channel graphic equalisers 1 x In/out panel & mains distribution (16A) | 30.00 | 90.00 |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|

Mixing Desks

| | | £ day | £ week |
|-----------------|-------------------------------------------------------|--------------|---------------|
| A&H GL3000/32 | 32 Channel, 8 groups, 8 aux, 2 matrix | 60.00 | 180.00 |
| A&H GL2000/24 | 24 Channel, 4 groups, 6 aux | 50.00 | 150.00 |
| A&H GL2004/16 | 16 Channel 4 groups, 6 aux, 4 matrix | 36.00 | 108.00 |
| SPIRIT 8/3 | Soundcraft 8/3 L/R & Mono O/P's, 4 aux | 15.00 | 45.00 |
| SPIRIT FOLIO | 8 mic/line - 2 stereo line inputs | 10.00 | 30.00 |
| FOLIO RAC-PAC | 10 mic/line - 2 stereo line inputs, 4 groups, 4 aux | 20.00 | 60.00 |
| PEAVEY UNITY | 8/3 L/R & Mon 2 aux (No headphone o/p) | 8.00 | 24.00 |
| BEHRINGER UB502 | Euro Rack 4 channel 2mic/line & 2 stereo line outputs | 6.00 | 18.00 |

Outboard Equipment

| | | £ day | £ week |
|----------------|--------------------------------------------|--------------|---------------|
| YAMAHA Q2031 | Stereo 31 band graphic equaliser | 15.00 | 45.00 |
| BSS FCS966 | Stereo 31 band graphic equaliser | 18.00 | 54.00 |
| DBX 231 | Stereo 31 band graphic equaliser | 15.00 | 45.00 |
| DOD | Stereo 31 band graphic equaliser | 15.00 | 45.00 |
| YAMAHA GC2020B | 2 Channel compressor/ limiter | 7.00 | 21.00 |
| BSS DPR402 | 2 Channel compressor/peak limiter/de-esser | 12.00 | 36.00 |
| DBX 160-XT | Mono compressor/ limiter | 10.00 | 30.00 |
| MDX2200 | 2 Channel compressor/limiter | 7.00 | 21.00 |
| MDX4400 | 4 Channel compressor | 7.00 | 21.00 |
| LA AUDIO 4G | 4 Channel gate | 7.00 | 21.00 |
| DRAWMER201 | 2 Channel gate | 7.00 | 21.00 |
| ULTRA CURVE | Digital spectrum analyser/equaliser | 30.00 | 90.00 |
| AD8000 | Ultra-gain 8 channel A/D D/A converter | 12.00 | 36.00 |

Effects

| | | | |
|----------------|----------------------------------|-------|-------|
| YAMAHA SPX90 | Stereo digital effects processor | 10.00 | 30.00 |
| TC M300 | Stereo digital effects processor | 12.00 | 36.00 |
| LEXICON MPX100 | Stereo digital effects processor | 10.00 | 30.00 |
| LEXICON MPX500 | Stereo digital effects processor | 12.00 | 36.00 |
| VESTA DIG-411 | Mono digital delay | 6.00 | 18.00 |

Recording & Playback

| | | £ day | £ week |
|----------|-------------------------------|--------------|---------------|
| CDRW900 | Tascam CDR player/recorder | 15.00 | 45.00 |
| CDA700 | Tascam CD/Casette combination | 12.00 | 36.00 |
| CDA500 | Tascam CD/Casette combination | 10.00 | 30.00 |
| MD350 | Mini disc player/recorder | 12.00 | 36.00 |
| MDSJE500 | Mini disc player/recorder | 10.00 | 30.00 |

Microphones

| | | £ day | £ week |
|-------------------|---------------------------------------------|-------|--------|
| <u>AKG</u> | | | |
| AKG C1000 | Condenser | 5.00 | 15.00 |
| AKG C451 | Condenser | 6.00 | 18.00 |
| AKG D112 | Bass drum microphone | 4.00 | 12.00 |
| AKG D190 | | 3.00 | 9.00 |
| AKG D310 | | 3.00 | 9.00 |
| AKG D80 | | 3.00 | 9.00 |
| <u>Beyer</u> | | | |
| BEYER M69 | | 3.00 | 9.00 |
| BEYER M88 | Popular bass drum mic | 4.00 | 12.00 |
| BEYER M300S | Quality announcement microphone | 4.00 | 12.00 |
| <u>Crown</u> | | | |
| CROWN PCC 160 | Boundary microphone | 6.00 | 18.00 |
| <u>Sennheiser</u> | | | |
| SENN EVO 614 | Condenser | 5.00 | 15.00 |
| SENN EVO 604 | Clip on drum microphone | 4.00 | 12.00 |
| SENN K6 ME66 | Condenser shotgun/rifle microphone | 7.00 | 21.00 |
| <u>Shure</u> | | | |
| SHURE SM 57 | | 4.00 | 12.00 |
| SHURE SM58 | | 4.00 | 12.00 |
| SHURE BETA58 | | 5.00 | 15.00 |
| SHURE MX-412 | 12" goose neck lectern condenser microphone | 6.00 | 18.00 |
| SHURE MX-418 | 18" goose neck lectern condenser microphone | 6.00 | 18.00 |

-

| | | £ day | £ week |
|--------------------------|----------------------------------------------------------------------------------------------------|--------------|---------------|
| <u>Radio Mic Systems</u> | | | |
| SENN EVO HH | UHF handheld system (EW135) | 18.00 | 54.00 |
| SENN EVO LAV | UHF lavalier system (ME2) | 18.00 | 54.00 |
| SENN EVO HS | UHF headset system (ME3/Pulse) | 18.00 | 54.00 |
| SENN VHF | Hand held or lavalier system | 15.00 | 45.00 |
| RADIO RACK 8CH | 8-way Sennheiser radio mic system in a rack c/w aerial distribution and 2 x "paddle" style aerials | 150.00 | 450.00 |
| RADIO RACK 4CH | 4-way Sennheiser radio mic system as above | 75.00 | 225.00 |
| MKE2 UPGRADE | MKE2 Microphone upgrade - lavalier | 4.00 | 12.00 |
| DPA UPGRADE | Flesh coloured DPA4061 – headset | 10.00 | 30.00 |

Pickups & DI Boxes

| | | | |
|------------|-------------------------------|------|-------|
| DI PASSIVE | Single channel passive DI Box | 3.00 | 9.00 |
| DI ACTIVE | BSS AR133 active DI Box | 4.00 | 12.00 |

Microphone Accessories

| | | | |
|----------------|------------------------------------------------------|------|------|
| MIC STND BOOM | Standard microphone stand with/without boom arm | 1.00 | 3.00 |
| MIC STND SHORT | Short microphone stand with boom arm | 1.00 | 3.00 |
| MIC STND TABLE | Small base microphone stand | 1.00 | 3.00 |
| MIC CLAMP ARM | Telescopic boom arm fitted to standard 2" hook clamp | 1.00 | 3.00 |

Audio Cabling

| | | £ day | £ week |
|----------------|-----------------------------------------------------|--------------|---------------|
| 20/8 CH+AC 50M | 20 / 8 + Mains multicore system | 24.00 | 72.00 |
| 20/4 CH+AC 30M | 20 / 4 + Mains multicore system | 14.00 | 42.00 |
| 20 CH 50M | 20 way EDAC | 15.00 | 45.00 |
| 16/4 CH 30M | 16 / 4 multicore system | 9.00 | 27.00 |
| 12 CH 50M | 12 way multicore | 9.00 | 27.00 |
| 12 CH 20M | 12 way multicore | 6.00 | 18.00 |
| 8 CH 50M | 8 way multicore | 6.00 | 18.00 |
| 4 CH+AC 100M | 4 channel + Mains multicore | 10.00 | 30.00 |
| 8 CH SUB BOX | Short 8way multicore box to tails – 6/7 meters long | 5.00 | 15.00 |
| CABLE XLR | XLR – XLR cables – various lengths | 1.00 | 3.00 |
| CABLE SPK | XLR/Speakon/EP5 – various lengths | 1.00 | 3.00 |
| ADAPT/LINK AUD | Various audio adaptors/links | 1.00 | 3.00 |

SPLITTER SYSTEMS

| | | | |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| MIC SPLIT 40CH | 40 Channel 3-way transformer splitter system -32 channels transformer splits & 8 channels passive. Output sets A & B on 2 x EDAC, set C on XLR's | 48.00 | 144.00 |
| MIC SPLIT 2CH | EMO 2CH microphone splitter | 4.00 | 12.00 |

Communications

| | | £ day | £ week |
|---------------|----------------------------------------------------------|--------------|---------------|
| TECPRO SINGLE | Communications system belt pack c/w headset | 4.00 | 12.00 |
| TECPRO DUAL | Communications system dual channel belt pack c/w headset | 5.00 | 15.00 |
| MOTOROLA | Motorola GP300 Radios - 5km (3 mile) range, c/w charger | 10.00 | 30.00 |
| DT100 | Beyer DT100 headphones | 3.00 | 9.00 |

Lighting:-

9/ Generics (*Profiles, Fresnels, P.C.s, Floods & Par Cans*)

10/ Follow Spots

11/ Intelligent & Effect Lighting (*Scans, Disco, UV & Strobe*)

12/ Smoke, Dry Ice & Pyrotechnics

13/ Dimmers

14/ Control Desk

14/ Lighting Cables & Adapters

15/ Stands, Truss & Flying Equipment

16/ Mains Distribution, Generators & Emergency Lighting

17/ Staging, Set & Drapes

18/ Terms and Conditions

Lighting Equipment ~ Generics

| | | £ day | £ week |
|---------------------------------------------------------------------------------------------|-------------------------------------------------------|-------|--------|
| All lights are supplied complete with standard 2" hook clamp, safety bond and colour frame. | | | |
| <u>Fresnels</u> | | | |
| ARRI 2KW | Arri 2kW Fresnel/PC | 5.00 | 15.00 |
| SELECON 1KW | Selecon 1kW 7" Fresnel 7-66° | 3.00 | 9.00 |
| PATT 743 | Strand PATT 743 1kW Fresnel 15-82° | 2.50 | 7.50 |
| MINUETTE | CCT Minuette 500W 4" Fresnel 18-57° | 1.75 | 5.25 |
| DTS 500W | DTS 500W 4" Fresnel | 1.75 | 5.25 |
| PATT 123 | Strand PAT 123 500W 6" Fresnel 16-43° | 1.75 | 5.25 |
| BARN DOOR | Barndoor attachment | 0.50 | 1.50 |
| <u>Par Cans</u> | | | |
| PAR64 1KW | 1kW Par64 c/w CP61 or CP62 | 2.00 | 6.00 |
| PAR64 500W | 500W Par64 c/w CP88/87 or raylight adaptor | 2.00 | 6.00 |
| PAR64 FLOOR | 500W Par64 Floor Can c/w raylight adaptor | 2.00 | 6.00 |
| PAR64 4 WAY | 4-Way Par64 Bar c/w CP61/62/87/88, socapex connector | 10.00 | 30.00 |
| PAR 64 6 WAY | 6- Way Par64 Bar c/w CP61/62/87/88, socapex connector | 15.00 | 45.00 |
| PAR 56 300W | 300W Par 56 Can | 1.50 | 4.50 |
| <u>Profile</u> | | | |
| S4 ZOOM | ETC Source 4 750W Profile 25-50° | 6.00 | 18.00 |
| S4 JUNIOR | ETC Source 4 575W Profile | 5.00 | 15.00 |
| T84 | Strand T84 1kW Profile | 2.00 | 6.00 |
| PATT 23 | Strand PAT 23 500W Profile | 1.75 | 5.25 |
| IRIS | Iris diaphragm for profiles | 2.00 | 6.00 |
| GOBO HOLDER | Gobo holder | 1.00 | 3.00 |
| GOBO | Stock gobo | 1.00 | 3.00 |

£ day £ week

| | | £ day | £ week |
|--------------------------|------------------------------------------|--------------|---------------|
| <u>Floodlight</u> | | | |
| FLOOD 500W | 500W Floodlight – indoor/outdoor | 1.00 | 3.00 |
| FLOOD 1KW | 1kW Floodlight – indoor/outdoor | 1.50 | 4.50 |
| CODA | Strand Coda flood 500W – Theatre lantern | 1.75 | 5.25 |

Pin spots & Birdies

| | | | |
|---------------|------------------------------------------------------|------|------|
| PAR36 | Par 36 Pin Spot | 1.50 | 4.50 |
| PAR16 BIRDIE | Par 16 12V 50W c/w 5m cable – requires a transformer | 1.00 | 3.00 |
| PAR16 TRF(2) | 2-way transformer for Par16's | 1.00 | 3.00 |
| PAR 16 TRF(4) | 4-way transformer for Par16's | 2.00 | 6.00 |

Follow Spots

| | | £ day | £ week |
|-----------|---------------------------------------------|--------------|---------------|
| CCT CSI | CCT 1kW CSI Follow spot (Mechanical dimmer) | 20.00 | 60.00 |
| PATT 793 | 2kW PAT 793 Follow spot | 9.00 | 27.00 |
| MOONLIGHT | DTS Moonlight 1kW Follow Spot | 7.00 | 21.00 |

All follow spots are supplied as kits with stand, dimmer and colour magazine

Intelligent Lighting

| | | £ day | £ week |
|----------|----------------------------------|--------------|---------------|
| MAC 500 | Martin Mac 500 | 30.00 | 90.00 |
| MAC 300 | Martin Mac 300 | 25.00 | 75.00 |
| MAC 250+ | Martin Mac 250+ | 25.00 | 75.00 |
| MINI MAC | Martin Mini Mac | 20.00 | 60.00 |
| Q-SCAN | MAD QScan (moving mirror) | 15.00 | 45.00 |
| Q500 | NJD Q500 Scanner (moving mirror) | 10.00 | 30.00 |

Effects & Disco Lighting:

| | | | |
|---------------|--------------------------------------------------------------------------------------------------------------------|------|-------|
| DATAMOON | NJD Datamoon | 6.00 | 18.00 |
| STROBE | Pulsar Jumbo Strobe | 4.00 | 12.00 |
| STROBE REMOTE | Remote control for Pulsar Strobe | 1.50 | 4.50 |
| UV CANNON | 400W UV Cannon | 8.00 | 24.00 |
| UV 2' | 2' UV Tube (Enclosed fitting type) | 3.00 | 9.00 |
| UV 4' | 4' UV Tube (Enclosed fitting type) | 4.00 | 12.00 |
| FUZZ LIGHT | Fuzz Light – (blue, orange, red) | 2.00 | 6.00 |
| ROPE LIGHT | Rope Light – 7m length 4 colours | 5.00 | 15.00 |
| FESTOON | 110V Festoon Lighting – 50m length – 25 Bulb holders (BC) Bulbs and 240/110V transformers can be supplied - POA | 4.00 | 12.00 |
| MIRROR BALL | 12" Mirror Ball c/w rotator | 3.00 | 9.00 |
| DIABLO | Soundlab 14" Silk Flame Effect | 4.00 | 12.00 |
| DISCO CONT | 3/4 Channel disco light chaser c/w sound to light input | 3.00 | 9.00 |

Smoke, Dry Ice & Pyrotechnics:

| | | £ day | £ week |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| BUBBLE | Antari Bubble Machine | 6.00 | 18.00 |
| JEM TECHNOFOG | Compact smoke machine c/w remote | 9.00 | 27.00 |
| JEM ZR12 | ZR12 Smoke Machine c/w remote or DMX control | 10.00 | 30.00 |
| JEM ZR33 | ZR33 Fog Machine c/w remote/DMX control | 12.00 | 36.00 |
| JEM ZR24 | ZR24 Hazer Machine c/w remote/DMX control | 12.00 | 36.00 |
| PEASOUPER | LeMaitre dry ice effect chamber – Safety Notice:- This product utilises dry ice (CO2) and to operate requires water at near boiling temperatures. | 9.00 | 27.00 |
| <i>Additional costs apply for fluids for the above items, ACTS cannot supply dry ice - POA</i> | | | |
| FAN | Flight cased 16" 240V fan – speed control local/dimmer | 4.00 | 12.00 |
| PYRO 2CH | 2 channel LeMaitre pyrotechnic firing system | 2.00 | 6.00 |
| PYRO 4CH | 4 channle pyrotechnic firing system | 4.00 | 12.00 |
| POD | Firing pods for above systems – straight or angled | 1.50 | 4.50 |
| CONFETTI TANK | Confetti tank c/w maroon connection block | 5.00 | 15.00 |
| CABLE PYRO | Additional cables (Pods/Tank supplied with 10m each) | 1.00 | 3.00 |

*We supply a wide range of Pyrotechnic products,
please call to discuss which effect would suit your event best.*

Dimmers:

| | | £ day | £ week |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|
| ZERO 88 CONTOUR | 24 Channel x 2kW, Patch to 8 x socapex outputs, 16A permanent power/test facility, DMX buffer 125A 3 Phase In/Out, 32A 1 Phase aux power | 50.00 | 150.00 |
| PARADIM RACK | Paradim 18CH c/w patch system for dimmer/permanent power to 6 x socapex outputs. 63A 3 Phase inlet, DMX control input | 30.00 | 90.00 |
| MODE RACK | 24 x 1kW dimmers – Dual IEC outputs. Demux and control patch. 63A 3 Phase input, 3 x spare 32A 1 Phase outputs | 30.00 | 90.00 |
| DIMMER 6CH 2KW | 6 channel 2kW dimmer packs – various options | 7.00 | 21.00 |
| DIMMER 4CH 1KW | 4 channel 1kW dimmer packs – various options | 4.00 | 12.00 |
| DIMMER 3CH 1KW | 3 channel 1kW dimmer packs – various options | 3.00 | 9.00 |

Dimmer Accessories:

| | | | |
|---------------|-----------------------------------------------------|-------|-------|
| DMX DIST 4WAY | Martin DMX 4 channel splitter | 7.00 | 21.00 |
| DMX DIST 8WAY | Jands DMX 8 channel splitter | 10.00 | 30.00 |
| DEMUX 24CH | Lightfactor Demux 24 channels DMX to analogue 0-10V | 10.00 | 30.00 |

Control Desks:

| | | £ day | £ week |
|----------------------------|---------------------------------------------------|--------------|---------------|
| <u>Memory desks</u> | | | |
| PEARL | Avolites channel Pearl 2004/8 – 4 x DMX universe | 67.00 | 200.00 |
| ILLUSION 120 | Zero 88 120 channel Illusion – DMX output | 40.00 | 120.00 |
| SIRIUS | Zero 88 24 channel Sirius – DMX, Analogue outputs | 20.00 | 60.00 |

Manual Desks

| | | | |
|-----------------|-----------------------------------------|------|-------|
| LIGHT DESK 18CH | 18 Channel 2 Presets control desk | 6.00 | 18.00 |
| LIGHT DESK 12CH | 12 Channel 2 Presets control desk | 4.00 | 12.00 |
| LIGHT DESK 6CH | 6 Channel and master level control desk | 2.00 | 6.00 |
| LIGHT DESK 3CH | 3 Channel control desk | 1.50 | 4.50 |

Desk Accessories:

| | | | |
|---------|-----------------------------------------------------------|------|-------|
| VDU 15" | Flat screen monitor (for use with Pearl & Illusion Desks) | 7.00 | 21.00 |
|---------|-----------------------------------------------------------|------|-------|

Lighting Cables & Adaptors:

| | | £ day | £ week |
|---------------------|--------------------------------------------------------------------------|--------------|---------------|
| CABLE 13/15/16A | 13/15/16A mains cables – various lengths up to 20m | 1.00 | 3.00 |
| CABLE 13/15/16A 25M | 13/15/16A 25M cables | 1.50 | 4.50 |
| CABLE 13/15/16A 50M | 13/15/16A 50M cables | 2.00 | 6.00 |
| CABLE SOCAPEX | 6 Channel 1.5mm Socapex priced per 5m | 1.00 | 3.00 |
| SOCAPEX SPIDERS | 6 channel male/female spiders to 15/16A | 3.00 | 9.00 |
| CABLE 6CH CONTROL | 6 channel analogue lighting control cable – various lengths available | 1.00 | 3.00 |
| CABLE DMX | DMX lighting cable (5 pin XLR) – various lengths | 1.00 | 3.00 |
| ADAPT/LINK LX | Various lighting adaptors, splitters and links | 1.00 | 3.00 |

Stands, Truss & Flying Equipment:

| | | £ day | £ week |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| POWERDRIVE | Telescopic 2 stage, UDL 40kg max, 1.69-3.35m | 2.50 | 7.50 |
| STRATA | Doughty wind-up stand, SWL 150kg , 1.50–5.20m | 15.00 | 45.00 |
| MANFROTTO | Manfrotto wind up stand SWL 30kg, 1.67-3.70m | 10.00 | 30.00 |
| T-BAR | T-bar c/w 4 or 6 hole lantern mounting points | 0.50 | 1.50 |
| BIG BEN | TV spigot to half coupler for stands | 0.30 | 0.90 |
| TRUSS ADAPTOR | TV spigot to truss adaptor plate | 1.00 | 3.00 |
| ALLOY BAR | 48mm Alloy bar (various lengths) priced per metre | 0.30 | 0.90 |
| LODESTAR ½ TONNE | CM Lodestar 3 phase hoists SWL 500kg 12m height of lift, c/w cable loom and pickle | 15.00 | 45.00 |
| MOTOR CONTROLLER | CM Controller for up to 4 Lodestar motors | 10.00 | 30.00 |
| CHAIN BLOCK 1 TON | Manual chain block 1000kg – 10m lift | 7.00 | 21.00 |
| CHAIN BLOCK 250kg | Manual chain block 250kg – 8m lift | 5.00 | 15.00 |
| GIRDER CLAMPS | 1Tonne (75-210mm) or 5Tonne (90-310mm) | 3.00 | 9.00 |
| SPANSET | 0.5-3.0m EWL, 1Tonne and 2Tonne SWL's | 1.00 | 3.00 |
| STEEL | 2/4/10m lengths, 1000kg SWL | 1.00 | 3.00 |
| SHACKLE | 3.25Tonne – 10cwt | 1.00 | 1.00 |
| CHAIN SLING | 2m single leg chain sling 500kg SWL c/w shortner | 1.00 | 3.00 |
| LITEBEAM BASE | Slick Lightbeam column base | 3.00 | 9.00 |
| LITEBEAM TOP PLATE | Slick Lightbeam column tower head plates | 4.00 | 12.00 |
| LITEBEAM 90 DEG | Slick Lightbeam 90° horizontal corner | 5.00 | 15.00 |
| LITEBEAM | Slick Lightbeam Truss priced per metre | 3.00 | 9.00 |
| LITEBOX | Slick Litebox Truss priced per metre | 4.00 | 12.00 |
| LITEBOX TOWER (4m) | Slick Litebox 500kg ground support tower system c/w 500kg lodestar motor and stabiliser legs. Suitable as tower in goal post or 4 cornered box. Includes 1m litebox hinge section and 3m litebox section, see above for additional litebox sections up to total height of 6.5m | 50.00 | 150.00 |

Mains Distribution, Generators & Emergency lighting

| | | £ day | £ week |
|----------------|---------------------------------------------------------------------------------------|-------|--------|
| DISTRO 32-16A | Flight cased distro 32A 1Phase input, 5 x 16A out Individually protected by RCBO's | 7.00 | 21.00 |
| CABLE 32A 1PH | 32A 1 Phase TRS cables priced per 5m | 1.00 | 3.00 |
| CABLE 63A 1PH | 63A 1 Phase TRS cables priced per 5m | 1.50 | 4.50 |
| ADAPT/LINK 1PH | Various single phase adaptors/links | 1.50 | 4.50 |
| CABLE 32A 3PH | 32A 3 Phase TRS cables priced per 5m | 1.50 | 4.50 |
| CABLE 63A 3PH | 63A 3 Phase TRS cables priced per 5m | 2.50 | 7.50 |
| CABLE 125A 3PH | 125A 3 Phase TRS cables priced per 5m | 3.00 | 9.00 |
| ADAPT/LINK 3PH | Various 3 phase adptor/links | 2.00 | 6.00 |
| GENERATOR 3KVA | 3kVA 110/240V single phase generator, Petrol engine Approx 12 hour tank capacity | 20.00 | 60.00 |
| EM EXIT SIGN | Illuminated Exit signs, battery powered, maintained | 5.00 | 15.00 |
| EM DUAL HEAD | Twin head emergency light, battery powered, non-maintained | 5.00 | 15.00 |

Staging, Set & Drapes

| | | £ day | £ week |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|
| STEEL DECK 8'x4' | 8' x 4' Steel Deck units c/w set of 4 legs (1' / 2' / 3' height) | N/A | 15.00 |
| STEEL DECK 4'x1' | 4' x 1' Steel Deck unit c/w legs as above – can be used for step | N/A | 5.00 |
| STEPS | Set steps c/w hand rail to 3' high staging | N/A | 15.00 |
| STAGE CANOPY | Stage canopy system to cover approximate 24' x 12' stage area c/w 4 x Strata 5m wind up stands and litebeam/alloy bar to provide roof support. (Roof pitches towards rear of stage) | 180.00 | 540.00 |
| BLACK 22' x 20' | Black wool serge drapes (May be hung either way round) | 16.00 | 48.00 |
| BLACK 22' x 10' | Black wool serge drapes (May be hung either way round) | 8.00 | 24.00 |
| BLACK 20' x 10' | Black wool serge drapes (May be hung either way round) | 8.00 | 24.00 |
| STAR CLOTH | 22' x 10' fibre optic star cloth c/w light source Twinkle effect (May be hung either way round) | 27.00 | 81.00 |
| WHITE CYC | Lightweight 10m wide x 5m drop white cyc cloth | 8.00 | 24.00 |
| CURTAIN TRACK | T60/Triple E curtain tracks c/w end stops and hook clamps per m | 1.50 | 4.50 |
| RUNNERS | Runners for T60/Triple E tracks price per 20 | 3.00 | 9.00 |
| FLATS | Felt covered 8' or 10' x 4' wide stage flats – various colours | 5.00 | 15.00 |
| SCREEN FLATS | Felt covered screen header/footer flats per set | 5.00 | 15.00 |
| BRACES | Stage braces – 1.5-3.0m | 1.00 | 3.00 |
| STAGE WEIGHTS | Stage weights – 12.6kg | 1.00 | 3.00 |
| SCREEN 8' x 6' | Fast fold 8' x 6' screen c/w stand and front/rear surfaces | 35.00 | 105.00 |
| SCREEN 6' x 4'6" | Fast fold 6' x 4'6" screen c/w stand and front/rear surfaces | 25.00 | 75.00 |

TERMS OF HIRE

Hereafter 'The Company' refers to ACTS Sound & Lighting.

1. All orders must be confirmed in writing.
2. Goods may be withheld or substitutes may be supplied at the discretion of the Company.
3. If the agreed hire charges are not paid on the due date (as per invoice) then the Company reserves the right to repossess the hired items and will not be liable for any damages or loss which may be suffered by the customer.
4. Charge categories are selected at the Company's discretion.
5. In certain cases at the Company's discretion a deposit against loss or damage will be required.
6. Any equipment hired will be entirely at the customer's risk during the hire period and the customer will be responsible for any loss or damage thereto howsoever arising save where the Company undertakes to operate the equipment hired (Job Class HO) in which case the Company will accept responsibility for any loss or damage caused entirely by the Company's own acts or omissions. The customer undertakes all responsibility for insuring all equipment against "all risks" to the full replacement value thereof. Any loss or damage to the equipment save as aforesaid is to be reimbursed to the Company by the customer to the full value thereof.
7. The customer assumes responsibility for bulb replacement except in case of electrical failure under normal working conditions.
8. When spare bulbs are supplied they must be returned together with all blown bulbs for inspection. Failure to comply with this condition will result in a charge for full replacement cost.
9. Cables are supplied coiled and taped with PVC tape. They must be returned in the same condition. A charge of £1.00 is made per cable for untangling, recoiling and taping.
10. Plugs and sockets must not be removed from equipment under any circumstances. A charge of £5.00 per cable end is made for rewiring.
11. Any damage, defect or failure in hired equipment must be reported within 24 hours of its occurrence and confirmed in writing; in default the customer will be charged the cost of repair and replacement.
12. Clauses 7,8,9,10 and 11 hereof shall not apply where the Company undertakes to operate the equipment hired (Job Class HO).
13. The Company accepts no liability whatsoever for any damage to person or property or for any consequential or economic loss caused by any equipment supplied by the Company or by the operation thereof by the Company or arising out of or in connection with the condition or use thereof whether such liability might arise at common law or by statute or by any other enactment or under or by virtue of the express or implied terms of any agreement between the Company and the customer save in so far as such liability is for death or personal injury and results from the negligence of the company its servants or agents.